Assembly Instructions

Thank you for your purchase! We want to make sure your assembly goes smoothly so please feel free to email us at **patioservices@gmail.com** if you have any questions.

CAUTION: KEEP PARTS AND PACKAGING OUT OF REACH OF CHILDREN. Small hardware can be a choking hazard. Packaging could lead to suffocation. Keep children away until after assembly.

FOR ALL ALUMINUM CHAIRS

Parts list

No.	Picture	Description	Qty
A		Backrest Panel	1
B		Chair Seat Panel	1
C		Left Leg with Arm and Pre-attached Bolts for Seat Panel and Leveler	1
D		Right Leg with Arm and Pre-attached Bolts for Seat Panel and Leveler	1

Hardware

No.	Picture	Description	Qty
①		Washer (8mm)	8
		Spring Washer (8mm)	8
		Nut (8mm)	8
②		Rubber Cap	8
③		Spanner	1

Assembly Preparation

Before Beginning Assembly:






- **Read instructions, cover to cover-**
- **Have 2 adults on hand for assembly-**
- **Do not assemble on flooring or carpet-**
- **Assemble on a clean non-marring surface (packing foam)-**
- **Save all packaging until finished-**

Assembly Steps

Overview


Backrest Panel(A)
Left Legs with Arm and Pre-attached Bolts for Seat Panel and Leveller(C)
Right Legs with Arm and Pre-attached Bolts for Seat Panel and Leveller(D)
Chair Seat Panel (B)
FRONT FACING

This Chair has multiple parts and may require up to some 30 minutes to assemble. To give you an overview of the Chair parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Step 1



Attach the Chair Seat Panel(B) to the Right Legs with Pre-attached Levelers (D) using Washers, Spring Washers and Nuts(①), with Spanner(③).
Caution: This Chair can only be used on a flat, level surface.

Step 2



Then attach the Backrest Panel(A) to the to Right Legs with Pre-attached Levelers(D) using Washers, Spring Washers and Bolts(①), with Spanner(③).
DO NOT fully tighten at this stage.

Step 3



Repeat the same assembly process for the Left Legs with Pre-attached Levelers(C).
DO NOT fully tighten at this stage.

Step 4

Stand the chair upright.
Adjust the Pre-attached Levelers on the Chair Legs until the chair is level with the ground.
Now, in a sequential manner, fully and securely tighten all bolts at all joints.
Then Add Rubber Caps(②) on 4 bolt ends on the back of the chair to protect skin or clothing from getting snagged.
Your Chair is ready for use.
Caution: This Chair can only be used on a flat, level surface.